Chuck E Cheese Cyber/ 3 Stage Feet

Assembly guide

Notes:

-These patterns are meant to be printed on A4 paper
-Print the entire Pdf,not just certain pages,so that they get printed at 1:1 scale(printing just certain pages for some reason makes everything slightly bigger)
-Make sure when printing,in the settings set is as „fit to paper" not „fit to printable area" so the patterns get printed at full size
-Do not cut the borders of the pages
-Good Luck :)

Materials:

-4mm plywood ~50/50cm
-1 inch foam ~100/100cm(typically black foam was used,but green and white foam were also used in limited cases)
-Grey fur ~1 yard (~1m^2)
-The Plastic Toe

Pattern assembly:

-Simply tape the pieces togheter

-If there are any borders on the images do NOT cut them

Step 1.Print

-Print the pdf



Step 2.Cut the patterns





Step 3.Cut the wood

-Trace the patterns onto the wood then cut the pieces out



Step 4.Cut the foam

-Use whatever type of foam you like

-Black was the most common,but green and white foam has also been observed



Step 5:Foam assembly

-Glue the 2 foam pieces togheter





Step 6:Base assembly

-Glue the foam onto the wood base







Step 7:Attach the toe

-Slide the toe onto the front of the base, pushing it up to about where the dotted line on the foam pattern is



Cut the fur

-When cutting the fur,use an exacto knife to slice the base of the fur from the back



Step 8:Stitch the fur

-Sew the fur pieces togheter



Step 9:Attach the fur

-Glue The fur onto the foot

Step 10:The Sole

-Cut the Sole out of black felt keeping a bit of excess fabric where the hole in the back is
-Glue the sole on the bottom of the foot folding the excess over inside



Congratulations!You have just finnished the feet!

-Give yourself a pat on the back!